

CERTIFICATE

for

TÜV PROFiCERT-product Interior PREMIUM

The following product/product group particularly fulfills the criteria V1.3 of the TÜV PROFiCERT-product Interior certification. This certificate does not acquit the producer of his responsibility to comply with all legal requirements and product properties.


EGGER Holzwerkstoffe Wismar GmbH & Co. KG
 Am Haffeld 1
 D-23970 Wismar
 Germany

Egger Laminate floor covering UC 31 - 33

Result of quality testing: General requirements and requirements for the levels of use 31 - 33 acc. to EN 13329:2016+A1:2017 are fulfilled

Result of the emission testing: TÜV PROFiCERT-product Interior PREMIUM fulfilled

Thus, the results comply with the emission thresholds of

√	AgBB 2018	√	BREEAM Exemplary Level	√	Austrian Ecolabel, Guideline UZ 07
√		√	Finnish M1 classification	√	DE-UZ 176 (Blue Angel)
√	Belgian VOC regulation	√	Annex 8 MVV TB / ABG	√	CAM Italy
√	LEED v4 (outside North America)				

Certificate registration No. **70 720 6151-1**

Certificate valid from 2021-11-06 to **2024-11-05**

Audit report No. 2117289/1/2021

First certification 2018-11-06




Darmstadt, 2021-11-18
 Certification body of TÜV Hessen
 – Head of Certification body –

ANNEX

This article / this group is characterized by the following features (all data $\pm 10\%$):

Utilisation classes (UC):	A) 31; B) 32; C) 33
Wear layer:	AC3 (A); AC4 (B); AC5 (C)
Decor layer:	Decorative paper impregnated with melamine resin (A, B, C)
Carrier layer:	HDF, thickness 6 – 12 mm, average density 900 kg/m ³ (A, B, C)
Back layer:	Kraft paper impregnated with melamine resin (A, B, C)
V-joint:	Without / 4-sided (A) Without / 2- / 4- / 5-sided (= middle joint) (B, C)
Sound insulation:	optionally
Total thickness:	6.0 – 8.0 mm (A)
(Without sound insulation)	7.0 – 12.0 mm (B) 8.0 – 12.0 mm (C)
Area weight:	5.6 – 7.3 kg/m ² (A)
(Without sound insulation)	6.3 – 11.0 kg/m ² (B) 7.3 – 11.0 kg/m ² (C)

and comprises the following articles:

Utilisation class 31 (A)	Utilisation class 32 (B)	Utilisation class 33 (C)
EGGER Basic	EGGER Home	EGGER Home
EGGER Home	EGGER Pro	EGGER Pro
EGGER Pro		

TÜV PROFICERT-product Interior PREMIUM

Certificate registration No. **70 720 6151-1**

Certificate valid from 2021-11-06 to **2024-11-05**



O. Maib

Darmstadt, 2021-11-18
Certification body of TÜV Hessen
– Head of Certification body –

ANNEX

This article / this group is characterized by the following features (all data $\pm 10\%$):

Utilisation classes (UC):	A) 32; B) 33
Wear layer:	AC4 (A); AC5 (B)
Decor layer:	Decorative paper impregnated with melamine resin (A, B)
Carrier layer:	HDF, thickness 8 & 12 mm, average density 920 kg/m ³ (A, B)
Back layer:	Kraft paper impregnated with melamine resin (A, B)
V-joint:	4-sided / 5-sided (= middle joint) (A) 4-sided (B)
Sound insulation:	optionally
Total thickness:	8.0 & 12.0 mm (A) 8.0 mm (B)
Area weight:	6.0 - 7.3 kg/m ² (A, B)

and comprises the following articles:

EGGER Home Laminat Aqua+ (A)

EGGER Pro Laminat Aqua+ (A, B)

TÜV PROFICERT-product Interior PREMIUM

Certificate registration No. **70 720 6151-1**

Certificate valid from 2021-11-06 to **2024-11-05**



O. Maib

Darmstadt, 2021-11-18
Certification body of TÜV Hessen
– Head of Certification body –